

www.mahkoint.com



FLOOR SPRINGS &
PATCH FITTINGS





About Us :

MAHKO INTERNATIONAL was first registered in 2003 to provide services and products in Singapore & Malaysia market only. Right now, we have clients from all over the globe. In 2011, **MAHKO INTERNATIONAL** was privatised to provide a professional and global presence in the world market.

Our Portfolio :

MAHKO INTERNATIONAL PTE LTD has our Head Office located in SINGAPORE and manufacturing plant in China.

Being the main Financial and Travel hub in Asia, Singapore is easily accessible to suppliers and customers across the world, becoming the bridge connecting business between East & West. Establishing close partnerships with clients worldwide, we are able to create a synergy to offer , the best quality in product and services.

Contents



EAZI FLOORSPRING SERIES



FLOORSPRING SERIES



PATCH FITTING SERIES




GLASS CLAMP SERIES



GLASS DOOR LOCK SERIES




EAZI FLOORSPRING SERIES



MG - 830

GLASS DOOR FLOOR SPRING


- Suitable Door Weight : $\leq 100\text{kg}$
- Suitable Door Width : $750 \sim 1000\text{mm}$
- Suitable Door Thickness : $8 \sim 13\text{mm}$
- Operating Ambient Temperature : $-20^{\circ}\text{C} \sim +50^{\circ}\text{C}$



MG - 730

GLASS DOOR FLOOR SPRING

- Suitable Door Weight : $\leq 80\text{kg}$
- Suitable Door Width : $700 \sim 800\text{mm}$
- Suitable Door Thickness : $8 \sim 13\text{mm}$
- Operating Ambient Temperature : $-20^{\circ}\text{C} \sim +50^{\circ}\text{C}$




MG - 630

WOODEN/METAL FRAMED DOOR HIDDEN FLOOR SPRING

- Suitable Door Weight : $\leq 70\text{kg}$
- Suitable Door Width : $700 \sim 1000\text{mm}$
- Suitable Door Thickness : minimum 45mm
- Operating Ambient Temperature : $-20^{\circ}\text{C} \sim +50^{\circ}\text{C}$




FLOORSPRING SERIES




MV - 84 Floor Spring

- Suitable Door Size : 800 x 1300mm
- Suitable Door Weight : 130KG
- Angle of turn : 105°




MV - 222A Floor Spring

- Suitable Door Size : 950 x 1100mm
- Suitable Door Weight : 110KG
- Angle of turn : 105°



MV - 75 Floor Spring

- Suitable Door Size : 800 x 1100mm
- Suitable Door Weight : 150KG
- Angle of turn : 105°



MV - 65 Floor Spring



- Suitable Door Size : 950 x 1100mm
- Suitable Door Weight : 100KG
- Angle of turn : 105°



DOOR-CONTROL HARDWARE



Material: Zinc Alloy, Aluminium, Iron
Suitable: Suitable For 15-19mm Thickness Glass

Satin stainless steel (SSS)
Polished stainless steel (PSS)
Titanium plated (TI)





MPA - 010

Suitable For 15-19mm Thickness Glass





MPA - 020

Suitable For 15-19mm Thickness Glass





MPA - 030

Suitable For 15-19mm Thickness Glass



MPA - 041

Suitable For 15-19mm Thickness Glass



MPA - 050

Suitable For 15-19mm Thickness Glass



010 - MPP



011 - MPP



012 - MPP

Material: Iron, steel



020 - MPP



021 - MPP



021 - MPP



024 - MPP

Material: Zinc, Aluminium, Iron, steel



030 - MPP



031 - MPP




Material: Zinc, Aluminium, Iron, steel



DOOR-CONTROL HARDWARE


Material: Zinc Alloy, Aluminium, Iron
Suitable: Suitable For **10-12mm** Thickness Glass

Finishes:
Satin stainless steel (SSS)
Polished stainless steel (PSS)
Titanium plated (TI)






MPB - 010

Suitable For **10-12mm** Thickness Glass






MPB - 020

Suitable For **10-12mm** Thickness Glass






MPB - 030

Suitable For **10-12mm** Thickness Glass






MPB - 031

Suitable For 10-12mm Thickness Glass



MPB - 032

Suitable For 10-12mm Thickness Glass



MPB - 040




Suitable For 10-12mm Thickness Glass



DOOR-CONTROL HARDWARE



Material: Zinc Alloy, Aluminium, Iron
Suitable: Suitable For 10-12mm Thickness Glass

Finishes:
Satin stainless steel (SSS)
Polished stainless steel (PSS)
Titanium plated (TI)





MPB - 040B

Suitable For 10-12mm Thickness Glass





MPB - 042B

Suitable For 10-12mm Thickness Glass





MPB - 050

Suitable For 10-12mm Thickness Glass





MPM - 050B

Suitable For **10-12mm** Thickness Glass



MPB - 051

Suitable For **10-12mm** Thickness Glass



MPB - 051B

Suitable For **10-12mm** Thickness Glass





DOOR-CONTROL HARDWARE

Material: Zinc Alloy, Aluminium, Iron
Suitable: Suitable For 10-12mm Thickness Glass

Finishes:
Satin stainless steel (SSS)
Polished stainless steel (PSS)
Titanium plated (TI)





MPB - 070



Suitable For 10-12mm Thickness Glass





MPB - 070B



Suitable For 10-12mm Thickness Glass





MPB - 072





Suitable For 10-12mm Thickness Glass



MPB - 073





Suitable For 10-12mm Thickness Glass






MPC - 010

Suitable For **10-12mm** Thickness Glass



MPC - 010A

Suitable For **10-12mm** Thickness Glass



MPC - 020




Suitable For **10-12mm** Thickness Glass



DOOR-CONTROL HARDWARE




Material: Zinc Alloy, Aluminium, Iron
 Suitable: Suitable For 10-12mm Thickness Glass

Finishes:
 Satin stainless steel (SSS)
 Polished stainless steel (PSS)
 Titanium plated (TI)





MPC - 30

Suitable For 10-12mm Thickness Glass





MPC - 040

Suitable For 10-12mm Thickness Glass






MPC - 040B

Suitable For 10-12mm Thickness Glass






MPC - 050

Suitable For 10-12mm Thickness Glass






MPC - 052

Suitable For 10-12mm Thickness Glass



MPC - 052B

Suitable For 10-12mm Thickness Glass



MPC - 080



Suitable For 10-12mm Thickness Glass



DOOR-CONTROL HARDWARE



Material: Zinc Alloy, Aluminium, Iron
 Suitable: Suitable For 10-12mm Thickness Glass

Finishes:
 Satin stainless steel (SSS)
 Polished stainless steel (PSS)
 Titanium plated (TI)





MPD - 010

Suitable For 10-12mm Thickness Glass




MPD - 020

Suitable For 10-12mm Thickness Glass




MPD - 030

Suitable For 10-12mm Thickness Glass




MPD - 040



Suitable For **10-12mm** Thickness Glass





MPD - 050



Suitable For **10-12mm** Thickness Glass



MPD - 090






Suitable For **10-12mm** Thickness Glass



DOOR-CONTROL HARDWARE




Material: Zinc Alloy, Aluminium, Iron
Suitable: Suitable For **10-12mm** Thickness Glass

Finishes:
Satin stainless steel (SSS)
Polished stainless steel (PSS)
Titanium plated (TI)






MPD - 010A

Suitable For **10-12mm** Thickness Glass






MPD - 020A

Suitable For **10-12mm** Thickness Glass






MPD - 030A

Suitable For **10-12mm** Thickness Glass






MPD - 040A

Suitable For **10-12mm** Thickness Glass



MPD - 050A

Suitable For **10-12mm** Thickness Glass



MPD - 080




Suitable For **10-12mm** Thickness Glass



DOOR-CONTROL HARDWARE




Material: Zinc Alloy, Aluminium, Iron
Suitable: Suitable For **10-12mm** Thickness Glass

Finishes:
Satin stainless steel (SSS)
Polished stainless steel (PSS)
Titanium plated (TI)





MPE - 010

Suitable For **10-12mm** Thickness Glass





MPE - 020

Suitable For **10-12mm** Thickness Glass






MPE - 030

Suitable For **10-12mm** Thickness Glass





MPE - 031

Suitable For 10-12mm Thickness Glass



MPE - 040

Suitable For 10-12mm Thickness Glass



MPE - 050



Suitable For 10-12mm Thickness Glass



DOOR-CONTROL HARDWARE




Material: Zinc Alloy, Aluminium, Iron
 Suitable: Suitable For **10-12mm** Thickness Glass

Finishes:
 Satin stainless steel (SSS)
 Polished stainless steel (PSS)
 Titanium plated (TI)




MPE - 050B



Suitable For **10-12mm** Thickness Glass



MPE - 080



Suitable For **10-12mm** Thickness Glass







MPG - 010

Suitable For **10-12mm** Thickness Glass



MPG - 020

Suitable For **10-12mm** Thickness Glass



MPG - 030




Suitable For **10-12mm** Thickness Glass



DOOR-CONTROL HARDWARE




Material: Zinc Alloy, Aluminium, Iron
Suitable: Suitable For 10-12mm Thickness Glass

Finishes:
Satin stainless steel (SSS)
Polished stainless steel (PSS)
Titanium plated (TI)



MPG - 040



Suitable For 10-12mm Thickness Glass



MPG - 050



Suitable For 10-12mm Thickness Glass








MPV - 010

Suitable For 10-12mm Thickness Glass



MPV - 020

Suitable For 10-12mm Thickness Glass



MPV - 030




Suitable For 10-12mm Thickness Glass



DOOR-CONTROL HARDWARE



Material: Zinc Alloy, Aluminium, Iron
 Suitable: Suitable For **10-12mm** Thickness Glass

Finishes:
 Satin stainless steel (SSS)
 Polished stainless steel (PSS)
 Titanium plated (TI)




MPV - 040


Suitable For **10-12mm** Thickness Glass



MPV - 050

Suitable For **10-12mm** Thickness Glass






A-601




A-602



A-603



A-604



A-605




A-606



A-607



A-608



A-609



A-610



A-611



A-612



A-613



A-614






A-615



DOOR-CONTROL HARDWARE




Material: Zinc Alloy, Aluminium, Iron
 Suitable: Suitable For **10-12mm** Thickness Glass

Finishes:
 Satin stainless steel (SSS)
 Polished stainless steel (PSS)
 Titanium plated (TI)



MPF - 031




Suitable: Suitable For **10-12mm** Thickness Glass



MPF - 032




Suitable: Suitable For **10-12mm** Thickness Glass








MPF - 040B

Suitable: Suitable For **10-12mm** Thickness Glass



MPF - 040L

Suitable: Suitable For **10-12mm** Thickness Glass



MPF - 040LB




Suitable: Suitable For **10-12mm** Thickness Glass



DOOR-CONTROL HARDWARE




Material: Zinc Alloy, Aluminium, Iron
 Suitable: Suitable For **10-12mm** Thickness Glass

Finishes:
 Satin stainless steel (SSS)
 Polished stainless steel (PSS)
 Titanium plated (TI)






MPF - 040R

Suitable: Suitable For **10-12mm** Thickness Glass






MPF - 040RB

Suitable: Suitable For **10-12mm** Thickness Glass






MPF - 042

Suitable: Suitable For **10-12mm** Thickness Glass






MPF - 042B

Suitable: Suitable For **10-12mm** Thickness Glass



MPF - 043

Suitable: Suitable For **10-12mm** Thickness Glass



MPF - 050




Suitable: Suitable For **10-12mm** Thickness Glass



DOOR-CONTROL HARDWARE



Material: Zinc Alloy, Aluminium, Iron
 Suitable: Suitable For 10-12mm Thickness Glass

Finishes:
 Satin stainless steel (SSS)
 Polished stainless steel (PSS)
 Titanium plated (TI)





MPF - 051

Suitable: Suitable For 10-12mm Thickness Glass





MPF - 085

Suitable: Suitable For 10-12mm Thickness Glass






MPF - 090

Suitable: Suitable For 10-12mm Thickness Glass





MPF - 090B

Suitable: Suitable For **10-12mm** Thickness Glass



MPF - 091

Suitable: Suitable For **10-12mm** Thickness Glass



MPF - 091B

Suitable: Suitable For **10-12mm** Thickness Glass



DOOR-CONTROL HARDWARE

Material: Zinc Alloy,Aluminium,Iron
Suitable: Suitable For **10-12mm** Thickness Glass


Finishes:
Satin stainless steel (SSS)
Polished stainless steel (PSS)
Titanium plated (TI)



MPH - 01

Glass clamp


- Materials:Stainless steel
- Finish:Polished Stainless Steel(PSS)
- Satin Stainless Steel(SSS)
- Glass thick:8-20mm Available for:Glass shelf and wooden plywood



MPH- 02

Glass clamp


- Materials:Stainless steel
- Finish:Polished Stainless Steel(PSS)
- Satin Stainless Steel(SSS)
- Glass thick:8-20mm Available for:Glass shelf and wooden plywood



MPH - 03

Glass clamp


- Materials:Stainless steel
- Finish:Polished Stainless Steel(PSS)
- Satin Stainless Steel(SSS)
- Glass thick:8-20mm Available for:Glass shelf and wooden plywood



MPH - 04



Glass clamp

- Materials:Stainless steel
- Finish:Polished Stainless Steel(PSS)
- Satin Stainless Steel(SSS)
- Glass thick:8-20mm Available for:Glass shelf and wooden plywood








- Apply high strength die-casting alloy, the product features beautiful and grand structure with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-15mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.



MPL - 801 glass door lock double



- Apply high strength die-casting alloy, the product features beautiful and grand structure with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-15mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.



MPL - 801A glass door lock single



DOOR-CONTROL HARDWARE



Material: Zinc Alloy,Aluminium.Iron
Suitable: Suitable For 10-12mm Thickness Glass

Finishes:
Satin stainless steel (SSS)
Polished stainless steel (PSS)
Titanium plated (TI)





MPL - 802B Single door glass lock

- Apply high strength die-casting alloy,the product features beautiful and grandsrtucture with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.




MPL - 803B Single door with twist

- Apply high strength die-casting alloy,the product features beautiful and grandsrtucture with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.



MPL - 804B Single door single lock


- Apply high strength die-casting alloy,the product features beautiful and grandsrtucture with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.






MPL - 802A Double door single lock

- Apply high strength die-casting alloy, the product features beautiful and grand structure with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.




MPL - 803A Double door with twists

- Apply high strength die-casting alloy, the product features beautiful and grand structure with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.



MPL - 804A Double door double lock

- Apply high strength die-casting alloy, the product features beautiful and grand structure with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.







DOOR-CONTROL HARDWARE

Material: Zinc Alloy, Aluminium, Iron
Suitable: Suitable For 10-12mm Thickness Glass

Finishes:
Satin stainless steel (SSS)
Polished stainless steel (PSS)
Titanium plated (TI)




- Apply high strength die-casting alloy, the product features beautiful and grand structure with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.




MPL - 805B Single door single lock




- Apply high strength die-casting alloy, the product features beautiful and grand structure with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.




MPL - 806B Single door with twist



- Apply high strength die-casting alloy, the product features beautiful and grand structure with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.






MPL - 807B Single door double lock






MPL - 805A Double door double lock

- Apply high strength die-casting alloy, the product features beautiful and grand structure with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.





MPL - 806A Double door with twists

- Apply high strength die-casting alloy, the product features beautiful and grand structure with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.



MPL - 807A Double door double lock

- Apply high strength die-casting alloy, the product features beautiful and grand structure with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.





DOOR-CONTROL HARDWARE

Material: Zinc Alloy, Aluminium, Iron


Suitable: Suitable For 10-12mm Thickness Glass

Finishes:

Satin stainless steel (SSS)

Polished stainless steel (PSS)




Titanium plated (TI)



MPL - 808

Glass door lock double




- Apply high strength die-casting alloy, the product features beautiful and grand structure with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.



MPL - 809

Glass door lock double



- Apply high strength die-casting alloy, the product features beautiful and grand structure with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.



MPL - 810

Glass door lock double

- Apply high strength die-casting alloy, the product features beautiful and grand structure with reliable safe-guarding performance.
- Suitable for tempered glass doors 10-12mm thick.
- Finishing: mirror, sanded, gold plated for customers to choose, or customized colors.



DARE TO DREAM

CARE TO FULFIL

SINGAPORE :

MAHKO INTERNATIONAL PTE LTD

Address : 47 Kallang Pudding Road
#08-04 Crescent@Kallang
Singapore 349318

Tel : +(65) 6100 2832

Fax : +(65) 6444 4866

Sales enquiry : sales@mahkoint.com

CHINA :

Address: 2nd South Haikou Road
Jinli Town
Gaoyao City, Guangdong,
526105, China